

## ***Catalog***

### ***Non-Slip, Kitchen & Drainage Mats (with and without anti-fatigue properties)***

MatsMatsMats.com  
6303 Owensmouth Ave.  
10th Floor  
Woodland Hills, CA 91367  
Tel: 877.777.6287  
Fax: 818.337.7464  
sales@MatsMatsMats.com

To view current pricing or to place an order online, go to  
[www.MatsMatsMats.com](http://www.MatsMatsMats.com).

To place your order via telephone, call us toll free at  
877.777.6287 from 9am to 5pm pacific time.

To place your order using a purchase order (upon approved  
credit), simply fax your purchase order to 818.337.7464 or mail it  
to the address above.


## Non-Slip and Drainage (Water & Grease) Mats

### Clean Grip




- 100% rubber with grippers for superb traction.
- General purpose or grease proof.
- 1/8" thickness.
- 3'x5', 3'x10', 4'x6', 4'x10'

### Work Step



- Cushion against fatigue.
- Light & easy to clean.
- Beveled edges for safety and easy cart access.
- 1/2" thickness.
- 3'x5', 3'x10', 3'x15', 3'x20'

### Performa




- Connect multiple mats to cover large areas.
- Light & easy to clean.
- Excellent drainage.
- 5/8" thickness.
- 3'x3' size

### Performa - SD




- Connect multiple mats to cover large areas.
- Light & easy to clean.
- Solid surface elevated.
- 5/8" thickness.
- 3'x3' size

### Tru-Tread



- Thick rubber mat for heavy duty usage.
- Thick edges, no tearing.
- Chemical resistant.
- 7/8" thickness.
- 3'x5', 3'x10', 3'x15' size

### Safety Tru-Tread



- Durable safety mat with colored borders.
- Wet, greasy, dry areas.
- Heavy duty usage.
- Elevated construction.
- 7/8" thickness.

### Counter Tred



- Open slot rubber.
- Great for fork lifts, wheeled carts, catwalks, grating, etc.
- 1/2" thickness.
- 2'x22', 3'x22', 4'x22'

### Perma Walk



- Solid rubber matting.
- Great for weight rooms, ice rinks, horse trailers, industrial work areas.
- Spike & skate resistant.
- 1/4" thick - 3'x22', 4'x22'

***Please see next page for more information and pricing...***

Continued from previous page...

## Bubble Flex




- Bubble design for cushion.
- Grease & oil resistant.
- 100% rubber mat.
- 1/2" thickness.

## Cushion Foot




- Modular, expand mat size.
- Diamond pattern.
- Grease & oil resistant.
- 100% rubber mat.
- 1/2" thickness.

## Grid Step Mat (Pre-Assembled Drainage Mat)



- Buy pre-assembled.
- Great for wet, oily, or greasy areas.
- Available with aggressive carbide grit surface.
- 3/4" thick.

## Grid Step Mat (Modular Drainage Mat)



- Make any size with tiles.
- Great for wet, oily, or greasy areas.
- Available with aggressive carbide grit surface.
- 3/4" thick.

## Diamond Runner



- Diamond pattern surface.
- With or without borders.
- Abrasion resistant.
- Protects floors.
- Resists grease and oil.
- 3/16" thick.

## Anti-Fatigue Mats



See our additional selection of other commercial and industrial anti-fatigue mats.

[MORE >>>](#)

## Clean Grip - Non Slip Rubber Mat



The Clean Grip mat is the perfect non slip mat for wet & greasy food service or industrial areas (if drainage is not necessary).

- Aggressive nitrile rubber grip runner.
- Raised "gripper" surface pattern provides excellent traction in slippery areas.
- Nitrile rubber compound resists damaging effects of chemicals and animal fats.
- Increase profits and space by replacing thick, expensive kitchen mats where they're not needed.
- Very flexible. Easy to roll up and clean.
- 1/8" thick.
- Color: Black only.

Made in the USA



***Please see next page for more information and pricing...***

*Continued from previous page...*

Specifications:

Weight: 0.85 lb./sf

Thickness: 1/8"

Rubber Type: Nitrile Rubber (more resistant to detergents; can be washed more frequently; more oil resistant)

Stock Mats		
Nominal Size	Actual Size *	Price
3' x 5'	35.5" x 57"	\$75.99
3' x 10'	35.5" x 116.5"	\$149.99
4' x 6'	44.5" x 68.5"	\$119.99
4' x 10'	44.5" x 116.5"	\$199.99
* Note: Please allow up to a 2-3% tolerance from the actual size.		

## WORK-STEP RUBBER ANTI FATIGUE MAT



**CLICK FOR LARGER IMAGE**



**Click to Enlarge**



**Work-Step with  
GritTuff"**

## Work-Step Drainage Rubber Floor Mat

- Excellent for Bars, Service Areas, Industrial Areas, and as a Kitchen Mat.
- Holes in mat allow fluids to drain to bottom of mat; nibs at bottom create channels to allow easy drainage of fluids away from the mat.
- Molded, beveled edges to increase safety, easy cart access, and to reduce tripping.
- Cushioned support reduces fatigue and helps prevent accidents.
- Lighter weight for easier handling and cleaning.
- Thickness: 1/2"
- Available in: Red (Grease-Proof), Black (Grease Resistant)
- Also available in Black (Grease Resistant) with GritTuff" top. This is an extremely aggressive, high traction, carbide grit top surface.

***Please see next page for more information and pricing...***

*Continued from previous page...*

**Recommended Uses:**

- Oily, greasy industrial workstations or work cells.
- Bar and Kitchen wet areas.
- Food processing work stations.

**Specifications:**

- Product Weight (Red & Black): 1.5 lb/s.f.
- Product Weight (GritTuff top): 2.0 lb/s.f.

Size *	Black (Grease Resist)	Red (Grease Proof)	Black with GritTuff top (Grease Resist)
3' X 5'	\$57.99	\$84.99	\$86.99
3' X 10'	\$141.99	\$175.99	\$189.99
3' X 15'	\$208.99	\$263.99	\$304.99
3' X 20'	\$283.99	\$349.99	\$494.99
* Note: Please allow up to a 2-3% tolerance from the actual size.			
<b>Custom Sizes</b>			
No custom sizes available.			

## Performa Connecting Rubber Mat



Performa with GritTuff™ Top



Connect multiple mats to create larger areas.

## Perfect For Bars, Service Areas, Industrial Areas & as a Restaurant / Kitchen Mat.

Improve employee comfort, minimize slip and falls and increase productivity with our non slip, anti-fatigue kitchen mats.

- Built-in interlocking connectors designed to securely connect two or more sections to cover larger areas.
- Thick rubber construction helps relieve fatigue and increases productivity.
- Drainage holes allow liquid and waste to pass through matting.
- Smaller sections and lighter weight for easy handling and cleaning.
- Thickness: 5/8"
- Size: 3' x 3'
- Available in: Red (Grease-Proof), Black (Grease Resistant)
- Also available in Black (Grease Resistant) with GritTuff™ top. Extremely aggressive, high traction, carbide grit top surface.

***Please see next page for more information and pricing...***

*Continued from previous page...*

**Recommended Uses:**

- Oily, greasy industrial workstations or work cells
- Bar and Kitchen wet areas
- Food processing work stations

**Specifications:**

- Product Weight (Red & Black): 2.4 lb/s.f.
- Product Weight (GritTuff top): 2.7 lb/s.f.
- Thickness: 5/8"

<b>Size *</b>	<b>Black (Grease Resist)</b>	<b>Red (Grease Proof)</b>	<b>Black with GritTuff top (Grease Resist)</b>
3' X 3'	\$44.99	\$55.99	\$76.99
* Note: Please allow up to a 2-3% tolerance from the actual size.			
<b>Custom Sizes</b>			
No custom sizes available. Connect multiple mats to create larger areas.			

## Performa Modular Solid Deck (SD) Mat



Performa with GritTuff" Top

## Solid Deck Modular Mat For Bars, Service Areas, Kitchen & Industrial Areas.

Improve employee comfort, minimize slip and falls and increase productivity with our non slip, anti-fatigue kitchen mats.

- Solid surface that provides a "complete coverage" elevated standing surface for wet work areas. Nibs elevate mat above the floor surface to allow easy drainage of fluids underneath the mat.
- Built-in interlocking connectors designed to securely connect two or more sections to cover larger areas.
- Thick rubber construction helps relieve fatigue and increases productivity.
- Smaller sections and lighter weight for easy handling and cleaning.
- Thickness: 5/8"
- Size: 3' x 3'
- Available in: Black (Grease-Proof) or Black (Grease Resistant)
- Also available in Black (Grease Proof) with GritTuff" top and Black (Grease Resistant) with GritTuff" top. This is an extremely aggressive, high traction, carbide grit top surface.

***Please see next page for more information and pricing...***

*Continued from previous page...*

**Recommended Uses:**

- Oily, greasy industrial workstations or work cells
- Bar and Kitchen wet areas
- Food processing work stations

**Specifications:**

- Product Weight (Black): 2.7 lb/s.f.
- Product Weight (GritTuff top): 3.0 lb/s.f.
- Thickness: 5/8"

<i>Size</i> *	<i>Black</i> <i>(Grease Resist)</i>	<i>Black</i> <i>(Grease Proof)</i>	<i>GritTuff</i> <i>(Grease Resist)</i>	<i>GritTuff</i> <i>(Grease Proof)</i>
3' X 3'	\$43.99	\$64.99	\$86.99	\$108.99
* Note: Please allow up to a 2-3% tolerance from the actual size.				
<b>Custom Sizes</b>				
No custom sizes available. Connect multiple mats to create larger areas.				

## TRU-TREAD ANTI FATIGUE MAT



CLICK FOR LARGER IMAGE



Click to Enlarge



Click to Enlarge

Tru-Tread  
X-Connector



Tru-Tread  
with GritTuff"

## Tru-Tread Rubber Drainage Floor Mat

- Thick, heavy-duty, rubber construction eases worker fatigue and increases productivity and safety.
- Drainage holes allow liquids and waste to pass through mat. Nibs elevate the mat above the floor surface to allow easy drainage of fluids away from mat.
- Great for dry, wet and greasy work environments.
- Grease-proof red nitrile rubber mat is recommended for areas using harsh industrial fluids and greases.
- Thickness: 7/8"
- 3'x10' and 3'x15' sizes are manufactured by permanently bonding multiple 3'x5' mats together.
- Straight cut edges (no bevels) let you place mats next to each other to create larger areas. For more stable connections, use the TruTread X-Connectors.
- Available in: Red (Grease-Proof), Black (Grease Resistant)
- Also available in Black (Grease Resistant) with GritTuff" top. This is an extremely aggressive, high traction, carbide grit top surface.

Made in the USA



***Please see next page for more information and pricing...***

Continued from previous page...

Also available with colored safety borders as our [safety tru-tread mat](#).

**Recommended Uses:**


- Oily, greasy industrial workstations or work cells
- Bar and Kitchen wet areas
- Food processing work stations

**Specifications:**

- Product Weight (Red & Black): 2.4 lb/s.f.
- Product Weight (GritTuff top): 2.9 lb/s.f.

Size *	Black (Grease Resist)	Red (Grease Proof)	Black with GritTuff top (Grease Resist)
3' X 5'	\$84.99	\$119.99	\$137.99
3' X 10'	\$214.99	\$262.99	\$346.99
3' X 15'	\$329.99	\$395.99	\$522.99
* Note: Please allow up to a 2-3% tolerance from the actual size.			
<b>Tru-Tread X-Connector</b>			
X-Connector (6-Pack, black only):			\$15.95
<b>Custom Sizes</b>			
No custom sizes available.			

## SAFETY TRU-TREAD ANTI FATIGUE MAT



Safety Tru-Tread with GritTuff" Top

## Safety Tru-Tread Rubber Drainage Floor Mat

- Thick, heavy-duty construction with durable, beveled safety borders.
- 3-sided or 4-sided, colored, removable borders for increased safety awareness (yellow border OSHA compliant).
- Anti-fatigue matting provides cushion and support for wet, greasy and dry environments.
- Base mat made from grease-resistant, black rubber.
- Drainage holes allow liquids and waste to pass through mat. Nibs elevate the mat above the floor surface to allow easy drainage of fluids away from mat.
- Comes with a 3 year limited warranty.
- Thickness: 7/8"
- Available in Black (Grease Resistant) with colored borders: Orange, Red, Green and Yellow (OSHA)
- Also available in Black (Grease Resistant) with GritTuff" top and Yellow or Orange borders. This is an extremely aggressive, high traction, carbide grit top surface.

Made in the USA



Also available without colored safety borders as our standard [tru-tread mat](#).

***Please see next page for more information and pricing...***

*Continued from previous page...*

**Recommended Uses:**

- Oily, greasy industrial workstations or work cells.
- Wet manufacturing work stations.
- Bar and Kitchen wet areas.
- Food processing work stations.

**Specifications:**

- Product Weight (Black): 2.4 lb/s.f.
- Product Weight (GritTuff top): 2.9 lb/s.f.

Size *	3-Sided Border	3-Sided Border	4-Sided Border	4-Sided Border
	Black	GritTuff	Black	GritTuff
26" x 40"	\$74.99	\$119.99		
28" x 40"			\$89.99	\$125.99
38" x 52"	\$141.99	\$194.99		
40" x 52"			\$169.99	\$206.99
38" x 64"	\$148.99	\$224.99		
40" x 64"			\$179.99	\$235.99
38" x 124"	\$286.99	\$409.99		
40" x 124"			\$349.99	\$439.99
* Note: Please allow up to a 2-3% tolerance from the actual size.				
<b>Custom Sizes</b>				
No custom sizes available.				

## COUNTER-TRED NON-SLIP MAT



## Counter-Tred Non-Slip Mat

- Heavy-duty, open slot design rubber matting with nylon fibers (as tough as a tire).
- Manufactured with 80% recycled rubber content.
- Superb drainage for wet, oily areas.
- Excellent for areas where fork lifts or wheeled carts are used.
- Great for welding, machining, and heavy assembly areas, grating and catwalks.
- Multi-direction ribs provide excellent traction and comfort.
- Thickness: 1/2"
- Available in Black General Purpose or a Black Grease Resistant Nitrile Rubber blend.
- Grease Resistant is ideal for machine shops or production areas where oil and solvents are present.

Made in the USA



### Recommended Uses:

- Industrial work areas and catwalks
- Areas where fork lifts and carts are used.

### Specifications:


- Weight (Gen. Purpose): 2.0 lb./s.f.
- Weight (Grease Resist.): 1.85 lb./s.f.
- Thickness: 1/2"

***Please see next page for more information and pricing...***

*Continued from previous page...*

<b>Size *</b>	<b>Black General Purpose</b>	<b>Black Grease Resistant</b>
2' x 22'	\$389.99	\$514.99
3' x 22'	\$579.99	\$766.99
4' x 22'	\$769.99	\$1029.99
* Note: Please allow up to a 2-3% tolerance from the actual size.		
<b>Custom Sizes</b>		
<a href="#">Request Quote for Custom Sizes</a>		
2', 3' or 4' width up to 22' long.		

## PERMA-WALK NON-SLIP MAT



## Perma-Walk Non-Slip Mat

- Heavy-duty, solid ribbed rubber matting.
- Manufactured with 90% recycled rubber content.
- Excellent for areas where fork lifts or wheeled carts are used.
- Spike, cleat and blade resistant. Great for athletic use.
- Perma-Walk matting is NOT recommended for greasy/oily areas.
- Available in Black
- Thickness: 1/4"

Made in the USA



### Recommended Uses:


- Industrial work areas.
- Hockey Rinks, Weight Rooms, Horse Trailers, etc.
- Areas where fork lifts and carts are used.
- Athletic use - spike, cleat and blade proof.
- Perma-Walk matting is NOT recommended for greasy/oily areas

### Specifications:

- Product Weight: 1.65 lb./s.f.
- Thickness: 1/4"
- Can withstand temperatures as low as 30 degrees Fahrenheit.

***Please see next page for more information and pricing...***

*Continued from previous page...*

<b>Size *</b>	<b>Black General Purpose</b>
3' x 22'	\$472.99
4' x 22'	\$629.99
* Note: Please allow up to a 2-3% tolerance from the actual size.	
<b>Custom Sizes</b>	
<a href="#">Request Quote for Custom Sizes</a> 	
3' or 4' width up to 22' long.	

## BUBBLE FLEX ANTI FATIGUE MAT



### Bubble Flex Anti Fatigue Mat

- Innovative air-pocket "bubble" design provides exceptional comfort.
- Sturdy rubber design withstands compression and extends the life of the mat.
- Beveled edges increase safety by reducing tripping and slipping.
- Grease and oil resistant.
- 100% molded rubber.
- Thickness: 1/2"
- Available in solid black.

Made in the USA



***Please see next page for more information and pricing...***

*Continued from previous page...*

**Recommended Uses:**

- Registers and check out counters
- Industrial work cells
- Service counters
- Shipping and packaging work cells

**Specifications:**

- Product Weight: 1.85 lb./s.f.

<i>Nominal Size</i>	<i>Actual Size *</i>	<i>Price</i>
2' x 3'	23-5/8" x 35-1/8"	\$31.99
3' x 4'	35" x 47-5/8"	\$54.99
* Note: Please allow up to a 2-3% tolerance from the actual size.		
<b>Custom Sizes</b>		
No custom sizes available.		

## CUSHION FOOT ANTI FATIGUE MAT



### Cushion Foot Anti Fatigue Mat

- Ergonomically structured rubber mat provides exceptional comfort and durability.
- Available modular design provides versatility for a variety of workspace configurations and assembles quickly and easily.
- Popular diamond pattern surface provides an attractive, non-skid work area.
- Beveled edges increase safety by reducing tripping and slipping.
- Grease and oil resistant.
- 100% molded rubber.
- Thickness: 1/2"
- Size: 28" wide x 31" long
- Available in solid black.

Made in the USA



***Please see next page for more information and pricing...***

*Continued from previous page...*

**Recommended Uses:**

- Industrial work cells
- Registers and check out counters
- Service counters
- Shipping and packaging work cells

**Specifications:**

- Product Weight: 1.7 lb./s.f.

---

<b>Size *</b>	<b>Price</b>
28" x 31"	\$27.49
* Note: Please allow up to a 2-3% tolerance from the actual size.	
<b>Custom Sizes</b>	
No custom sizes available.	

## DIAMOND PLATE ANTI FATIGUE MAT



**THICKNESS : 9/16"**



**CLICK FOR LARGER IMAGE**

### Diamond Plate Anti Fatigue Floor Matting

- Durable PVC diamond surface bonded with our "No Glue Bond" to a resilient anti-fatigue, closed cell, PVC foam base.
- Bonded with heat instead of adhesives. A "No Glue Bond" means "No Delamination" and eliminates exposure to glue vapors.
- Ergonomically designed to reduce worker fatigue and improve comfort.
- Industry favorite, non-skid, diamond pattern provides an abrasion and slip-resistant surface.
- Surface resists common fluids, most chemicals, and is non-flammable.
- Thickness: 9/16" (3/16" vinyl top bonded to a 3/8" closed cell foam).
- Limited 3-year guarantee against wear and delamination.
- Available in solid black or solid gray.
- Also available in [black with choice of 5 different border colors](#)

Made in the USA



***Please see next page for more information and pricing...***

*Continued from previous page...*

**Recommended Uses:**

- For dry work areas.
- Automotive and industrial work cells
- Shipping and packaging work cells
- Machine shops and maintenance areas

**Specifications:**

- Mats have four tapered edges for safety
- Product Weight: 1.46 lb./S.F.

Size	Price
2' X 3'	\$39.99
3' X 5'	\$98.99
3' X 10'	\$197.99
2' X 75'	\$979.00
3' X 75'	\$1468.00
4' X 75'	\$1958.00
Custom Sizes	
<a href="#">Request Quote for Custom Sizes</a>	
2', 3', and 4' rolls up to 75' in length.	

## DIAMOND PLATE SAFETY FATIGUE MAT



[CLICK FOR LARGER IMAGE](#)



### Diamond Plate Safety Fatigue Floor Matting

- Durable PVC diamond surface bonded with our "No Glue Bond" technology to a resilient anti-fatigue, closed cell, PVC foam base.
- Bonded with heat instead of adhesives. A "No Glue Bond" means "No Delamination".
- Ergonomically designed to reduce worker fatigue and improve comfort.
- Industry favorite, non-skid, diamond pattern provides an abrasion and slip-resistant surface.
- Surface resists common fluids, most chemicals, and is non-flammable.
- 3/16" vinyl surface bonded to a 3/8" closed cell sponge underlay.
- Thickness: 9/16"
- Limited 3-year guarantee against wear and delamination.
- Available in black with choice of 6 different safety colors (Black with Yellow sides is OSHA compliant).
- Mats and rolls have four tapered edges for safety.
- Also available in [solid black or solid gray](#).

Made in the USA



#### Recommended Uses:

- For dry work areas.
- Automotive and industrial work cells.
- Shipping and packaging work cells.
- Machine shops and maintenance areas.

#### Specifications:

- Mats and rolls have four tapered edges for safety
- Product Weight: 1.46 lb./S.F.

**THICKNESS : 9/16"**



***Please see next page for more information and pricing...***

*Continued from previous page...*

<b>Stock Mat</b>	<b>Price</b>
2' X 3'	\$40.99
3' X 5'	\$99.99
3' X 10'	\$199.99
<b>Roll</b>	<b>Price</b>
2' X 75'	\$1030.00
3' X 75'	\$1530.00
4' X 75'	\$2030.00
<b>Custom Sizes</b>	
<b>Request Quote for Custom Sizes</b> 	
2', 3', and 4' width up to 75' in length.	

## SUPREME DIAMOND PLATE ANTI FATIGUE MAT



**THICKNESS: 1 1/16"**  
Made with enhanced Ergo-Flex foam



**CLICK FOR LARGER IMAGE**

### Supreme Diamond Plate Anti Fatigue Floor Matting

- Durable PVC diamond surface bonded with our "No Glue Bond" technology to a resilient 1/2" Ergo-Flex" Foam.
- Ergo-Flex" enhanced foam provides increased durability and resiliency over other foam based products.
- Bonded with heat instead of adhesives. A "No Glue Bond" means "No Delamination" and eliminates worker exposure to dangerous vapors.
- Ergonomically designed to reduce worker fatigue and improve comfort.
- Industry favorite, non-skid, diamond plate pattern provides an abrasion and slip-resistant surface.
- Wear-surface resists common fluids, most chemicals, and is non-flammable.
- Thickness: 1 1/16" (3/16" vinyl top bonded to 1/2" closed cell foam).
- Limited 3-year guarantee against wear and delamination.
- Available in solid black or solid gray.
- Also available in [black with choice of 6 different safety border colors](#)

Made in the USA



***Please see next page for more information and pricing...***

*Continued from previous page...*

**Recommended Uses:**

- For dry work areas.
- Automotive and industrial work cells.
- Shipping and packaging work cells.
- Machine shops and maintenance areas.
- Service counters.

**Specifications:**

- Mats have four tapered edges for safety.
- Product Weight: 1.6 lb./s.f.

Size	Price
2' X 3'	\$42.99
3' X 5'	\$107.99
3' X 10'	\$214.99
2' X 75'	\$1075.00
3' X 75'	\$1600.00
4' X 75'	\$2100.00
Custom Sizes	
<a href="#">Request Quote for Custom Sizes</a>	
2', 3', and 4' rolls up to 75' in length.	

## SUPREME DIAMOND PLATE SAFETY FATIGUE MAT



**CLICK FOR LARGER IMAGE**



### Supreme Diamond Plate Safety Fatigue Floor Matting

- Durable PVC diamond surface bonded with our "No Glue Bond" technology to a resilient 1/2" Ergo-Flex" Foam.
- Ergo-Flex" enhanced foam provides increased durability and resiliency over other foam based products.
- Bonded with heat instead of adhesives. A "No Glue Bond" means "No Delamination" and eliminates worker exposure to dangerous vapors.
- Ergonomically designed to reduce worker fatigue and improve comfort.
- Industry favorite, non-skid, diamond plate pattern provides an abrasion and slip resistant surface.
- Wear-surface resists common fluids, most chemicals, and is non-flammable.
- 3/16" vinyl surface bonded to a 1/2" closed cell sponge underlay.
- Thickness: 11/16"
- Limited 3-year guarantee against wear and delamination.
- Available in black with choice of 6 different border colors (Yellow is OSHA compliant).
- Also available in [solid black or solid gray](#).

Made in the USA



***Please see next page for more information and pricing...***

*Continued from previous page...*

**Recommended Uses:**

- For dry work areas.
- Automotive and industrial work cells.
- Shipping and packaging work cells.
- Machine shops and maintenance areas.



**Specifications:**

- Mats have four tapered edges for safety.
- Product Weight: 1.52 lb./s.f.

Stock Mat	Price
2' X 3'	\$46.99
3' X 5'	\$115.99
3' X 10'	\$232.99
Roll	Price
2' X 75'	\$1160.00
3' X 75'	\$1740.00
4' X 75'	\$2320.00
Custom Sizes	
<a href="#">Request Quote for Custom Sizes</a>	
2', 3', and 4' width up to 75' in length.	

## INVIGORATOR ANTI FATIGUE MAT



Click to Enlarge

### Invigorator Anti Fatigue Floor Mating

- Durable, easy to clean, 1/8" wide rib PVC surface bonded with our "No Glue Bond" technology to a resilient, 3/8", closed-cell PVC foam base.
- Bonded with heat instead of adhesives. A No Glue Bond means No Delamination.
- Aggressive rib surface enhances traction.
- Resists common chemicals and fluids if cleaned regularly.
- Great, cost effective alternative to other multi-layer anti-fatigue products.
- Limited 3-year guarantee against wear and delamination.
- Thickness: 1/2"
- Available in solid black or black with yellow borders (OSHA compliant).



Made in the USA



#### Recommended Uses:


- Automotive and industrial work cells
- Shipping and packaging work cells
- Machine shops
- Maintenance areas

#### Specifications:

- Tapered edges for safety.
- Product Weight: 1.3 lb./s.f.

***Please see next page for more information and pricing...***

*Continued from previous page...*

<b>Stock Mat</b>	<b>Black</b>	<b>Black/Yellow</b>
2' X 3'	\$38.99	\$43.99
3' X 5'	\$94.99	\$105.99
<b>Roll</b>	<b>Black</b>	<b>Black/Yellow</b>
2' X 75'	\$920	\$1000
3' X 75'	\$1380	\$1500
4' X 75'	\$1840	\$2000
<b>Custom Sizes</b>		
<p><b>Request Quote for Custom Sizes</b> </p> <p>2', 3', and 4' rolls up to 75' in length.</p>		

## GRID STEP MODULAR MAT (ASSEMBLED)



**THICKNESS: 3/4"**



## Grid Step Modular Mat (Assembled)

- A great choice for industrial commercial environments.
- The waffle-grid design allows fluid to pass through the tile keeping the surface dry and less slippery.
- Includes 2.5" alternating yellow & black beveled borders on 3 sides of the mat.
- Pre-assembled tiles are made from 100% recycled plastic.
- Sturdy and long-sloping borders are excellent for cart access.
- Thickness: 3/4"
- Available colors: standard black, or gray aggressive carbide grit surface for extra traction and safety.
- Also available are our [modular tiles with optional borders](#)

Made in the USA



### Recommended Uses:

- Oily, greasy work cells
- Bar and kitchen wet areas
- Food processing work cells

### Specifications:

- Beveled borders on 3 sides (alternating yellow/black)
- Product Weight (Black): 1.81 lb./s.f.
- Product Weight (Grit): 2.17 lb./s.f.
- Thickness: 3/4"

***Please see next page for more information and pricing...***

*Continued from previous page...*

<i>Mat Size</i>	<i>3-Border Black</i>	<i>3-Border Carbide Grit</i>
26"x29"	\$57.99	\$76.99
26"x42"	\$73.99	\$92.99
26"x52"	\$89.99	\$109.99
26"x64"	\$104.99	\$124.99
26"x88"	\$129.99	\$149.99
38"x52"	\$133.99	\$154.99
38"x54"	\$149.99	\$169.99
38"x88"	\$178.99	\$199.99
38"x111"	\$216.99	\$236.99
<i>Custom Sizes</i>		
Custom sizes available through the <a href="#">Grid-Step Modular Design</a> .		

## GRID STEP MODULAR MAT (MODULES/TILES)



**THICKNESS: 3/4"**



### Grid Step Modular Mat (Modules/Tiles)

- A great choice for industrial commercial environments.
- Waffle-grid design allows fluid to pass through the tile keeping the surface dry and less slippery.
- Purchase tiles by the case (36 tiles per case) and optional borders to create your own mat.
- Modular tiles are made from 100% recycled plastic.
- 12"x12" interlocking tiles can be snapped together to create any size mat.
- Optional 2.5" beveled, sturdy, and long-sloping black or yellow borders are excellent for cart access.
- Thickness: 3/4"
- Available colors: standard black, or gray aggressive carbide grit surface for extra traction and safety.
- Also available are our [pre-assembled mats with borders](#).



#### Recommended Uses:

- Oily, greasy work cells
- Bar and kitchen wet areas
- Food processing work cells

#### Specifications:

- Case includes 36 tiles
- Product Weight (Black): 65 lb./case
- Product Weight (Grit): 78 lb./case
- [Pre-assembled mats with borders also available](#)


***Please see next page for more information and pricing...***

*Continued from previous page...*

<i>Tiles</i>	<i>Black</i>	<i>Carbide Grit</i>
Case of 36 (12"x12" each)	\$252.99	\$395.99

<i>Border Ramps</i>	<i>Black</i>	<i>Yellow</i>
Male - 12"x2.5"	\$5.99	\$6.99
Female 12"x2.5"	\$5.99	\$6.99
Male 14"x2.5"	\$6.99	\$8.49
Female 14"x2.5"	\$6.99	\$8.49


## All Purpose Vinyl Runner



Wide Rib



Wide Rib



Corrugated



Corrugated

### Perfect For Indoor Walkways & Isles

- All purpose vinyl runner matting.
- Corrugated or Wide Rib profile improves safety with increased traction.
- Protects floors reducing maintenance costs.
- 100% flexible vinyl compound resists grease, oil and chemicals.
- Color: Black
- Thickness: 1/8"
- Flammability: This product has been tested, and the findings have shown that it meets or exceeds the flammability requirements of CPSC (Consumer Products Safety Commission), Part 1630; the standard for the surface flammability for carpets and rugs FF-1-70; and the Federal Motor Vehicle Safety Standard 302 (FMVSS 302).
- Corners are square - not rounded as shown in picture above.

Made in the USA



#### Recommended Uses:

- For dry work areas
- Aisles
- Walkways

#### Specifications:

- Product Weight: 0.66 lb./s.f.
- Thickness: 1/8"
- Vinyl Type: PVC (Vinyl)
- Vinyl Weight: 95 oz./S.Y.
- Corners are square - not rounded as shown in picture above.

***Please see next page for more information and pricing...***

*Continued from previous page...*

<b>Size</b>	<b>Price</b>
2' X 105'	\$309.99
3' X 105'	\$449.99*
4' X 105'	\$599.99*
6' X 105'	\$889.99*

\*Note: These items ship via truck (you unload).

**Request Quote for Custom Sizes** 

2', 3', 4' or 6' wide up to 105' in length.

## DIAMOND RUNNER



### Diamond Plate Floor Runner

- Solid 3/16" thick PVC diamond surface runner.
- Aggressive, abrasion resistant diamond pattern provides improved traction.
- Protects floors reducing maintenance cost.
- Flexible 100% vinyl compound resists grease, oil and chemicals.
- Surface resists common fluids, most chemicals, and is non-flammable.
- Thickness: 3/16"
- Corners are square - not rounded as shown in pictures above
- Available in solid Black or Black with Yellow Borders.

Made in the USA



#### Recommended Uses:


- For dry work areas
- Aisles
- Walkways

#### Specifications:

- Product Weight: 0.70 lb./s.f.
- Thickness: 3/16"
- Corners are square - not rounded as shown in pictures above.

***Please see next page for more information and pricing...***

*Continued from previous page...*

Size	Black	Black/Yellow
2' X 75'	\$445.00	\$565.00
3' X 75'	\$650.00	\$850.00
4' X 75'	\$885.00	\$1125.00
<b>Custom Sizes</b>		
<b>Request Quote for Custom Sizes</b> 		
2', 3', and 4' widths up to 75' in length.		